



# Proposal - Detailed

Pella Window and Door Showroom of Fargo  
 5126 51st Avenue South Suite 120  
 Fargo, ND 58104  
**Phone:** (701) 281-1390 **Fax:** (701) 281-1427

**Sales Rep Name:** Reichling, Wayne  
**Sales Rep Phone:** 701-404-0977  
**Sales Rep E-Mail:** reichlingwp@pellamn.com  
**Sales Rep Fax:**


Customer Information	Project/Delivery Address	Order Information
<p><b>Red Leaf Custom Homes, LLC</b>            1809 42nd St S</p> <p>MOORHEAD, MN 56560-7162  <b>Primary Phone:</b> (701) 799-9620  <b>Mobile Phone:</b>  <b>Fax Number:</b>  <b>E-Mail:</b> redleafhomesfm@outlook.com  <b>Contact Name:</b></p> <p><b>Great Plains #:</b> 1005860813  <b>Customer Number:</b> 1009710832  <b>Customer Account:</b> 1005860813</p>	<p><b>7438 16th St S - O'toole</b>            7438 16th St S</p> <p><b>Lot #</b>            Fargo, ND 58104  <b>County:</b>  <b>Owner Name:</b>    <b>Owner Phone:</b></p>	<p><b>Quote Name:</b> 7438 16th St S - O'toole</p> <p><b>Order Number:</b> 004  <b>Quote Number:</b> <b>19240016</b>  <b>Order Type:</b> Non-Installed Sales  <b>Wall Depth:</b>  <b>Payment Terms:</b> Net 30 Days  <b>Tax Code:</b> NDAKOTA75  <b>Cust Delivery Date:</b> None  <b>Quoted Date:</b> 3/5/2025  <b>Contracted Date:</b>  <b>Booked Date:</b>  <b>Customer PO #:</b></p>

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

10 Bedroom 1

**Pella 250 Series, 2-Wide Double Hung, 75.5 X 61.5, White**

\$1,101.43 1 \$1,101.43





PK #  
2191

Viewed From Exterior  
Rough Opening: 76" X 62"

**1: 3862 Double Hung, Equal**  
**Frame Size:** 37 1/2 X 61 1/2  
**General Information:** Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  
**Exterior Color / Finish:** White  
**Interior Color / Finish:** White  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware  
**Screen:** Half Screen, InView™  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 26, OITC 22, Clear Opening Width 32.454, Clear Opening Height 25.339, Clear Opening Area 5.710777, Egress Meets minimum clear opening and 5.7 sq.ft  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White

**2: 3862 Double Hung, Equal**  
**Frame Size:** 37 1/2 X 61 1/2  
**General Information:** Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  
**Exterior Color / Finish:** White  
**Interior Color / Finish:** White  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware  
**Screen:** Half Screen, InView™  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 26, OITC 22, Clear Opening Width 32.454, Clear Opening Height 25.339, Clear Opening Area 5.710777, Egress Meets minimum clear opening and 5.7 sq.ft  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White  
**Vertical Mull 1:** FactoryMull, 1/2" Integral Mullion  
**Wrapping Information:** Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 274".

Line #	Location:	Attributes								
15	Bedroom 2	 <p>Viewed From Exterior Rough Opening: 60" X 48"</p>	<p><b>Pella 250 Series, Sliding Window, Fixed / Vent Left, 59.5 X 47.5, White</b></p> <p><b>1: 6048 Fixed / Vent Left Double Slider</b>  <b>Frame Size:</b> 59 1/2 X 47 1/2  <b>General Information:</b> Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  <b>Exterior Color / Finish:</b> White  <b>Interior Color / Finish:</b> White  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware  <b>Screen:</b> Half Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Clear Opening Width 24.792, Clear Opening Height 43.25, Clear Opening Area 7.446208, Egress Meets minimum clear opening and 5.7 sq.ft  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 214".  <b>Venting Width:</b> Equal</p>	<table border="1"> <thead> <tr> <th>Item Price</th> <th>Qty</th> <th>Ext'd Price</th> </tr> </thead> <tbody> <tr> <td>\$463.10</td> <td>1</td> <td>\$463.10</td> </tr> </tbody> </table>	Item Price	Qty	Ext'd Price	\$463.10	1	\$463.10
Item Price	Qty	Ext'd Price								
\$463.10	1	\$463.10								


Line #	Location:	Attributes								
20	Living Room	 <p>Viewed From Exterior Rough Opening: 36" X 18"</p>	<p><b>Pella 250 Series, Direct Set, Fixed Frame, 35.5 X 17.5, White</b></p> <p><b>1: 3618 Fixed Frame Direct Set</b>  <b>Frame Size:</b> 35 1/2 X 17 1/2  <b>General Information:</b> Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  <b>Exterior Color / Finish:</b> White  <b>Interior Color / Finish:</b> White  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Performance Information:</b> U-Factor 0.26, SHGC 0.32, VLT 0.60, CPD PEL-N-209-00161-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 106".</p>	<table border="1"> <thead> <tr> <th>Item Price</th> <th>Qty</th> <th>Ext'd Price</th> </tr> </thead> <tbody> <tr> <td>\$178.27</td> <td>2</td> <td>\$356.54</td> </tr> </tbody> </table>	Item Price	Qty	Ext'd Price	\$178.27	2	\$356.54
Item Price	Qty	Ext'd Price								
\$178.27	2	\$356.54								

Line #	Location:	Attributes		
--------	-----------	------------	--	--

25 Dining Room

**Pella 250 Series, Sliding Window, Fixed / Vent Left, 59.5 X 47.5, White**

Item Price	Qty	Ext'd Price
\$463.10	2	\$926.20



PK #  
2191

Viewed From Exterior

Rough Opening: 60" X 48"

**1: 6048 Fixed / Vent Left Double Slider**

**Frame Size:** 59 1/2 X 47 1/2

**General Information:** Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"

**Exterior Color / Finish:** White

**Interior Color / Finish:** White

**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

**Hardware Options:** Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware

**Screen:** Half Screen, InView™

**Performance Information:** U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Clear Opening Width 24.792, Clear Opening Height 43.25, Clear Opening Area 7.446208, Egress Meets minimum clear opening and 5.7 sq.ft

**Grille:** No Grille,

**Wrapping Information:** Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 214".

**Venting Width:** Equal

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

30 Kitchen

**Pella 250 Series, 3-Wide Double Hung, 83.5 X 35.5, White**

\$1,277.89 1 \$1,277.89



PK #  
2191


Viewed From Exterior  
Rough Opening: 84" X 36"

**1: 2836 Double Hung, Equal**  
**Frame Size:** 27 1/2 X 35 1/2  
**General Information:** Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  
**Exterior Color / Finish:** White  
**Interior Color / Finish:** White  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware  
**Screen:** Full Screen, InView™  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 26, OITC 22, Clear Opening Width 22.454, Clear Opening Height 12.339, Clear Opening Area 1.924027, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White


**2: 2836 Double Hung, Equal**  
**Frame Size:** 27 1/2 X 35 1/2  
**General Information:** Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  
**Exterior Color / Finish:** White  
**Interior Color / Finish:** White  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware  
**Screen:** Full Screen, InView™  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 26, OITC 22, Clear Opening Width 22.454, Clear Opening Height 12.339, Clear Opening Area 1.924027, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White


**3: 2836 Double Hung, Equal**  
**Frame Size:** 27 1/2 X 35 1/2  
**General Information:** Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  
**Exterior Color / Finish:** White  
**Interior Color / Finish:** White  
**Glass:** Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware  
**Screen:** Full Screen, InView™  
**Performance Information:** U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 26, OITC 22, Clear Opening Width 22.454, Clear Opening Height 12.339, Clear Opening Area 1.924027, Egress Does not meet typical United States egress, but may comply with local code requirements  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White  
**Vertical Mull 1:** FactoryMull, 1/2" Integral Mullion  
**Vertical Mull 2:** FactoryMull, 1/2" Integral Mullion  
**Wrapping Information:** Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 238".

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Line #	Location:	Attributes			
35	Master Bedroom	<b>Pella 250 Series, Sliding Window, Fixed / Vent Left, 59.5 X 47.5, White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$463.10	1	\$463.10
	 <p>PK # 2191</p> <p>Viewed From Exterior Rough Opening: 60" X 48"</p>	<p><b>1: 6048 Fixed / Vent Left Double Slider</b>  <b>Frame Size:</b> 59 1/2 X 47 1/2  <b>General Information:</b> Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  <b>Exterior Color / Finish:</b> White  <b>Interior Color / Finish:</b> White  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware  <b>Screen:</b> Half Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Clear Opening Width 24.792, Clear Opening Height 43.25, Clear Opening Area 7.446208, Egress Meets minimum clear opening and 5.7 sq.ft  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 214".  <b>Venting Width:</b> Equal</p>			

Line #	Location:	Attributes			
40	Garage	<b>Pella 250 Series, Sliding Window, Fixed / Vent Left, 47.5 X 23.5, White</b>	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$310.41	1	\$310.41
	 <p>PK # 2191</p> <p>Viewed From Exterior Rough Opening: 48" X 24"</p>	<p><b>1: 4824 Fixed / Vent Left Double Slider</b>  <b>Frame Size:</b> 47 1/2 X 23 1/2  <b>General Information:</b> Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  <b>Exterior Color / Finish:</b> White  <b>Interior Color / Finish:</b> White  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware  <b>Screen:</b> Half Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, STC 25, OITC 22, Clear Opening Width 18.792, Clear Opening Height 19.25, Clear Opening Area 2.512125, Egress Does not meet typical United States egress, but may comply with local code requirements  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 142".  <b>Venting Width:</b> Equal</p>			

Line #	Location:	Attributes				
45	LL Bedroom	 <p>Viewed From Exterior Rough Opening: 50 - 1/2" X 48"</p>	<p><b>Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White</b></p> <p><b>1: Non-Standard Size Fixed / Vent Left Double Slider</b>  <b>Frame Size:</b> 50 X 47 1/2  <b>General Information:</b> Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  <b>Exterior Color / Finish:</b> White  <b>Interior Color / Finish:</b> White  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware  <b>Screen:</b> Half Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Clear Opening Width 20.042, Clear Opening Height 43.25, Clear Opening Area 6.019559, Egress Meets minimum clear opening and 5.7 sq.ft  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 195".  <b>Venting Width:</b> Equal</p>	<p><b>Item Price</b></p> <p>\$456.70</p>	<p><b>Qty</b></p> <p>2</p>	<p><b>Ext'd Price</b></p> <p>\$913.40</p>

Line #	Location:	Attributes				
50	LL Family	 <p>Viewed From Exterior Rough Opening: 60" X 48"</p>	<p><b>Pella 250 Series, Sliding Window, Fixed / Vent Left, 59.5 X 47.5, White</b></p> <p><b>1: 6048 Fixed / Vent Left Double Slider</b>  <b>Frame Size:</b> 59 1/2 X 47 1/2  <b>General Information:</b> Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"  <b>Exterior Color / Finish:</b> White  <b>Interior Color / Finish:</b> White  <b>Glass:</b> Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware  <b>Screen:</b> Half Screen, InView™  <b>Performance Information:</b> U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Clear Opening Width 24.792, Clear Opening Height 43.25, Clear Opening Area 7.446208, Egress Meets minimum clear opening and 5.7 sq.ft  <b>Grille:</b> No Grille,  <b>Wrapping Information:</b> Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 214".  <b>Venting Width:</b> Equal</p>	<p><b>Item Price</b></p> <p>\$463.10</p>	<p><b>Qty</b></p> <p>1</p>	<p><b>Ext'd Price</b></p> <p>\$463.10</p>

**Thank You For Your Interest In Pella® Products**

**PELLA WARRANTY:**

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

**INSYNCTIVE PRODUCTS:** In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

**ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")**

**YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to [pellawebsupport@pella.com](mailto:pellawebsupport@pella.com), with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit [www.pella.com/arbitration](http://www.pella.com/arbitration) or e-mail to [pellawebsupport@pella.com](mailto:pellawebsupport@pella.com), with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE [PELLA.COM/ARBITRATION](http://PELLA.COM/ARBITRATION). DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER [PELLA.COM/ARBITRATION](http://PELLA.COM/ARBITRATION).

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

---

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)



Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to [www.pella.com/performance](http://www.pella.com/performance).

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

#### **BRANCH WARRANTY:**

#### **TERMS & CONDITIONS:**

Quotes valid for 30 days.

<b>Order Totals</b>	
Taxable Subtotal	\$6,275.17
Sales Tax @ 7.5%	\$470.64
Non-taxable Subtotal	\$0.00
<b>Total</b>	<b>\$6,745.81</b>
<b>Deposit Received</b>	<b>\$0.00</b>
<b>Amount Due</b>	<b>\$6,745.81</b>